

Extension Agricultural Weather Report

November 01, 2021 - November 08, 2021.

STATEWIDE CROP SUMMARY

(Data provided by the National Agricultural Statistics Service Crop Progress and Condition Report)

General

There were 6.1 days suitable for field work. Precipitation estimates ranged from little rain in some locations to 7.4 inches in Daytona Beach (Volusia County). The average temperature ranged from 57.6°F at NAS Whiting Field (Santa Rosa County) to 76.7°F in Key West (Monroe County).

Livestock and Pastures

Cattle condition remained mostly good to excellent throughout the state. Pasture condition remained mostly fair to good. Early season forages looked good, but many acres remained unplanted.

Crops

A variety of fruits and vegetables were planted and marketed. Dry weather allowed for continued harvesting activities. Nearly all cotton bolls were open and harvest was picking up. Peanut harvest neared completion. Sugarcane harvest continued, but was delayed due to some heavy rains.

Citrus

Maximum temperatures were in the mid 70s to low 80s across the citrus growing region, with Vero Beach County) reaching 81°F. Most stations across citrus growing region received one to two inches of rainfall. Clermont (Lake County) received the most at 4.15 inches, followed by Mount Plymouth (Lake County), at 3.05 inches.

According to the November 4, 2021 U.S. Drought Monitor, the entire citrus growing region was drought free, but parts of northern Volusia County were under abnormally dry conditions.

Next season's crop was progressing well, with oranges tennis ball to baseball ball in size, and grapefruit softball and larger in size.

Color break was reported in some grapefruit, early orange, and early tangerine groves.

Some Hamlin and Navel oranges, Fallglo and Early Pride tangerines, and red grapefruit were harvested for the fresh market.

Thirteen packinghouses were shipping fruit, and two processing plants were open and taking packinghouse eliminations.

Grove activities included herbicide, pesticide, fungicide, and nutritional application; fertilizing; mowing; row middle discing; dead tree removal; new tree planting; pollinating; ditch cleaning; and general grove maintenance.

Irrigation was run in all areas.


Soil Moisture Summary

(Data provided by the National Agricultural Statistics Service Crop Progress and Condition Report)


TOPSOIL	THIS WEEK (%)	PREVIOUS WEEK (%)
Very Short	1	0
Short	9	12
Adequate	74	69
Surplus	16	19

Weekly Temperature & Rainfall Data from FAWN Stations by District


Northwest District




Northeast District




Central District



Southwest District




Southeast District




● 7-day rainfall (inches) ● 7-day Maximum Temperature (°F) ● 7-day Minimum Temperature (°F)



NWS 6-10 DAY OUTLOOKS



NWS 6-10 day Temperature Outlook



NWS 6-10 day Rainfall Outlook

