


Extension Agricultural Weather Report


July 08, 2019 - July 15, 2019.

Weekly Temperature & Rainfall Data from FAWN Stations by District


Northwest District



Central District




Northeast District




● 7-day rainfall (inches) ● 7-day Maximum Temperature (°F) ● 7-day Minimum Temperature (°F)




Southwest District




Southeast District



NWS 6-10 DAY OUTLOOKS



NWS 6-10 day Rainfall Outlook



NWS 6-10 day Temperature Outlook



STATEWIDE CROP SUMMARY

(Data provided by the National Agricultural Statistics Service Crop Progress and Condition Report)

General

There were 6.3 days suitable for field work. Precipitation estimates ranged from 0.06 inches in Neptune Beach (Duval County) to 9.51 inches in St. Petersburg (Pinellas County). The average temperature ranged from 80.7°F in Jasper (Hamilton County) to 85.4°F in Jacksonville (Duval County).

Livestock and Pastures

Producers in DeSoto County planted and cut limpgrass. Pasture quality continued to improve in the central and southern parts of the state due to adequate rainfall. Cattle condition remained mostly good.

Fruits and Vegetables

Watermelon harvest was reported in St. Lucie County. A wide variety of fruits and vegetables continued to be planted and brought to market.

Field Crops

Drought conditions in some areas of the panhandle slowed crop progress. Cotton and peanut condition declined. Hay was harvested in several counties. Tobacco harvesting was underway in Lafayette County.

Citrus

The citrus growing region remained warm, with daily highs in the 90s. The highest temperature, 94°F, was recorded at Mount Plymouth (Lake County). Daily rainfall throughout the central and southern parts of the region, but only sporadic rainfall throughout the rest of the region, resulted in dryer soil conditions. Lady Lake (Lake County) received the most rainfall, with 5.91 inches. According to the July 11, 2019 U.S. Drought Monitor, the entire citrus growing region remained drought free.

Valencia orange harvest is complete for the season.

Grove activities included mowing, herbicide application, spraying, fertilizing, hedging, irrigation and general grove maintenance.

The new crop is progressing, with early and naval oranges approximately tennis ball size.

STATEWIDE SOIL MOISTURE SUMMARY

(Data provided by the National Agricultural Statistics Service Crop Progress and Condition Report)

TOPSOIL	THIS WEEK (%)	PREVIOUS WEEK (%)
Very Short	5	6
Short	11	10
Adequate	79	80
Surplus	5	4

